

Michigan Department of Community Health

*DRAFT HIPAA 5010A1 EDI Companion Guide for
ANSI ASC X12N 834
Benefit Enrollment and Maintenance*

*Prepaid Health Plans (PIHP)
Habilitation Support Waiver (HSW)*

*Version Date February 17, 2011
Effective January 1, 2012*

Table of Contents

| | |
|--|----|
| Introduction | 1 |
| Transaction Description..... | 2 |
| Download Notes for ANSI ASC X12 834 Benefit Enrollment and Maintenance | 2 |
| ANSI ASC X12 834 Benefit Enrollment and Maintenance Companion Guide Rules..... | 4 |
| Interchange Control Header..... | 4 |
| Transaction Set | 7 |
| Supplementary Information | 16 |
| Appendix A: Crosswalk for Medicare Plan Code (2000 INS06-1)..... | 16 |
| Appendix B: Crosswalk for Race or Ethnicity Code (2100A DMG05-1)..... | 17 |
| Appendix C: County Codes (2100A N4 N406 Location Identifier) | 18 |
| Revision Log | 19 |

Introduction

This document is the property of the Michigan Department of Community Health (MDCH). The information contained in this document is for the use of Trading Partners engaging in electronic data interchange (EDI) health care transactions with the State of Michigan's Community Health Automated Medicaid Payment System (CHAMPS).

This document is intended as a companion to the 005010X220 • 834 Benefit Enrollment And Maintenance Technical Report 3 (TR3) dated August 2006. It also includes the changes to be found in the following TR3 Errata documents:

- Errata 005010X220E1 • 834 Benefit Enrollment And Maintenance TR3 dated January 2009
- Errata 005010X220A1 • 834 Benefit Enrollment And Maintenance TR3 dated June 2010

The TR3 documents replace the 4010A1 Implementation Guide and related Addenda. The 5010A1 TR3 and related Errata documents can be downloaded from the Washington Publishing Company web site at <http://www.wpc-edi.com/content/view/817/1>.

This document is expected to be used in conjunction with the TR3 and related Errata for the 834 transaction set. The content of this document follows the guidelines authorized in the version modifications to the Health Insurance Portability and Accountability Act (HIPAA) Final Rule transaction standards published in the Federal Register January 16, 2009.

This document provides MDCH-specific instructions regarding certain elements within the TR3 but does not change, supersede, or add to the definitions, data conditions, or use of data elements or segments in the standard. This document provides MDCH rules regarding:

- Identifiers to use when a national standard has not been adopted
- Parameters in the TR3 and related Errata that provide options

In order to successfully download HIPAA transactions from the CHAMPS system it is necessary to comply with the information contained in the MDCH Electronic Submission Manual Dated February 2009. Note that revision of the MDCH Electronic Submission Manual is expected during calendar year 2011. The most current version of this manual can be downloaded from the MDCH web site at the following location: http://www.michigan.gov/mdch/0,1607,7-132-2945_42542_42545_42638---,00.html.

Transaction Description

The 834 is used to transfer enrollment information from the sponsor of the insurance coverage, benefits, or policy to a payer. Information transmitted includes initial enrollment and subsequent maintenance of individuals who are enrolled in CHAMPS.

Download Notes for ANSI ASC X12 834 Benefit Enrollment and Maintenance

The 834 transaction can be downloaded from the Data Exchange Gateway (DEG) in two formats, either ASCII or binary formats. When downloading to ASCII, files will include line feeds. These control characters will appear after each segment, and will function as carriage returns. However, downloading to binary eliminates the use of line feeds. Please refer to the MDCH Electronic Submission Manual for information regarding:

- Interaction with the MDCH's Data Exchange Gateway (DEG)
- Modes of retrieval (ASCII and binary formats) including Line Feed information

This document includes clarifications for the following information:

- Interchange control header and trailer
- Functional group header and trailer
- 834 transaction set header and trailer
- Detail segments and elements of the 834 transaction itself

The interchange control header and trailer (ISA and ISE) are presented together in the first section of this document. The functional group header and trailer (GS and GE) are presented together in the second section of this document. The 834 transaction set header and trailer (ST and SE) are presented with the detail 834 segments and elements in the third section. Three appendices follow the detailed data clarifications; they contain crosswalks of elements cited in the data clarification comments.

Supporting Appendices:

- Appendix A: Crosswalk for Medicare Plan Code (2000 INS06)
- Appendix B: Crosswalk for Race or Ethnicity Code (2100A DMG05)
- Appendix C: County Codes (2100A N4 N406 Location Identifier)

This document uses several text conventions to distinguish MDCH data elements from the TR3 data elements. The following table lists the text conventions used in this document.

| Convention used | Explanation |
|-----------------|--|
| < > | Text included within < > describes what will be transmitted by MDCH. This could be the MDCH data element name or value, or, if blank, will display <spaces>. |
| " " | Text with " " around a value represents HIPAA TR3 values. |
| () | The HIPAA TR3 description of the value in quotes, described above, is provided parenthetically. |

DRAFT

ANSI ASC X12 834 Benefit Enrollment and Maintenance Companion Guide Rules

Interchange Control Header

| Loop ID | Segment ID | Data Element ID | Loop/Segment/Element Name | Companion Guide Rules |
|---------|------------|-----------------|---|---|
| | | | Loop – Interchange Control Header | |
| | ISA | | Segment – Interchange Control Header | |
| | ISA | ISA01 | Authorization Information Qualifier | "00" (No Authorization Information Present) |
| | ISA | ISA02 | Authorization Information | <10 Spaces> |
| | ISA | ISA03 | Security Information Qualifier | "00" (No Security Information Present) |
| | ISA | ISA04 | Security Information | <10 Spaces> |
| | ISA | ISA05 | Interchange ID Qualifier | "ZZ" (mutually defined) |
| | ISA | ISA06 | Interchange Sender ID | Positions 1-6, <D00111> Positions 7-15, <spaces> |
| | ISA | ISA07 | Interchange ID Qualifier | "ZZ" (Mutually Defined) |
| | ISA | ISA08 | Interchange Receiver ID | Positions 1-4, <Service Bureau ID> Positions 5-15 <Spaces> |
| | ISA | ISA09 | Interchange Date | <Interchange Date>, in YYMMDD format |
| | ISA | ISA10 | Interchange Time | <Interchange Time>, in HHMM format |
| | ISA | ISA11 | Repetition Separator | "^" |
| | ISA | ISA12 | Interchange Control Version Number | <00501> |

| Loop ID | Segment ID | Data Element ID | Loop/Segment/Element Name | Companion Guide Rules |
|---------|------------|-----------------|--|--|
| | ISA | ISA13 | Interchange Control Number | <interchange control number> MDCH will transmit identical interchange control numbers in ISA13 and IEA02 for a single interchange envelope. |
| | ISA | ISA14 | Acknowledgment Requested | "0" (No Acknowledgment Requested) |
| | ISA | ISA15 | Interchange Usage Indicator | "P" (Production) or "T" (Test) |
| | ISA | ISA16 | Component Element Separator | <: > |
| | | | Loop – Interchange Control Trailer | |
| | IEA | | Segment – Interchange Control Trailer | |
| | IEA | IEA01 | Number of Included Functional Groups | <Total Number of Functional Groups> included within an interchange |
| | IEA | IEA02 | Interchange Control Number | <interchange control number> MDCH will transmit identical interchange control numbers in ISA13 and IEA02 for a single interchange envelope. |
| | | | Loop – Functional Group Header | |
| | GS | | Segment – Functional Group Header | |
| | GS | GS01 | Functional Identifier Code | "BE" (Benefit Enrollment and Maintenance, 834) |
| | GS | GS02 | Application Sender's Code | <D00111> |
| | GS | GS03 | Application Receiver's Code | <Service Bureau ID> |
| | GS | GS04 | Date | <Functional group Creation Date> in CCYYMMDD format |
| | GS | GS05 | Time | <Functional Group Creation Time> in HHMM format |
| | GS | GS06 | Group Control Number | <Data Interchange Control Number> MDCH will transmit identical data interchange control numbers in GS06 and GE02 for a single functional group. |
| | GS | GS07 | Responsible Agency Code | "X" (Accredited Standards Committee X12) |

| Loop ID | Segment ID | Data Element ID | Loop/Segment/Element Name | Companion Guide Rules |
|---------|------------|-----------------|---|--|
| | GS | GS08 | Version/Release/Industry Identifier Code | <005010X220A1> |
| | | | Loop – Functional Group Trailer | |
| | GE | | Segment – Functional Group Trailer | |
| | GE | GE01 | Number of Transaction Set Included | <Total Number of Transaction Sets>, included in the functional group or interchange |
| | GE | GE02 | Group Control Number | <Data Interchange Control Number> MDCH will transmit identical data interchange control numbers in GS06 and GE02 for a single functional group. |

Transaction Set

| Loop ID | Segment ID | Data Element ID | Loop/Segment/Element Name | Companion Guide Rules |
|---------|------------|-----------------|---|---|
| | | | Loop – Transaction Set Header | |
| | ST | | Segment - Transaction Set Header | |
| | ST | ST02 | Transaction Set Control Number | <Transaction Set Control Number> MDCH will assign a unique number within the transaction set, to indicate the start of the transaction. MDCH will transmit identical transaction set control numbers in ST02 and SE02. |
| | BGN | | Segment – Beginning Segment | |
| | BGN | BGN01 | Transaction Set Purpose Code | “00” (original and resubmission of original upon request of trading partner) “15” (re-submission to correct an error on original transmission) |
| | BGN | BGN02 | Reference Identification | <XXXXCCYYMMDD TT> Where <XXXX> is the DCH file number (5014 for PIHP and 5093 for HSW); <CCYYMMDD> is the batch number; <2 spaces>; <TT> is the Transaction Set Purpose Code from BGN01 |
| | BGN | BGN06 | Reference Identification | <cross reference to previous transaction> Not transmitted when BGN01 is “00”; if BGN01 is “15” will transmit the original transaction set reference number from BGN02. |
| | BGN | BGN08 | Action Code | If BGN01 = “00”, “4” (Verify) If BGN01=“15”, “RX” |
| | DTP | | Segment – File Effective Date | |
| | DTP | DTP01 | Date/Time Qualifier | “007” (File Effective Date) |

| Loop ID | Segment ID | Data Element ID | Loop/Segment/Element Name | Companion Guide Rules |
|--------------|------------|-----------------|---|---|
| | DTP | DTP03 | Date Time Period | <First Day of the Report Month> |
| | QTY | | Segment – Transaction Set Control Totals | |
| | QTY | QTY01 | Quantity Qualifier | "TO" (Total) |
| | QTY | QTY02 | Quantity | <Total Number of Records Transmitted in ST-SE Loop> |
| 1000A | | | Loop – Sponsor Name | |
| 1000A | N1 | | Segment – Sponsor Name | |
| 1000A | N1 | N102 | Name | <Department of Community Health> |
| 1000A | N1 | N103 | Identification Code Qualifier | "FI" (Federal Taxpayer's Identification Number) |
| 1000A | N1 | N104 | Identification Code | <386000134> |
| 1000B | | | Loop – Payer | |
| 1000B | N1 | | Segment – Payer Name | |
| 1000B | N1 | N102 | Name | <PIHP Organization Name> |
| 1000B | N1 | N103 | Identification Code Qualifier | "FI" (Federal Taxpayer's Identification Number) |
| 1000B | N1 | N104 | Identification Code | <PIHP Federal Taxpayer ID Number> |
| 2000 | | | Loop - Member Level Detail | |
| 2000 | INS | | Segment – Member Level Detail | |
| 2000 | INS | INS01 | Yes/No Condition or Response Code | "Y" (Yes) |
| 2000 | INS | INS02 | Individual Relationship Code | "18" (Self) |
| 2000 | INS | INS03 | Maintenance Type Code | "030" (Audit or Compare) |
| 2000 | INS | INS04 | Maintenance Reason Code | "XN" (Notification Only) |
| 2000 | INS | INS05 | Benefit Status Code | "A" (Active) |
| 2000 | INS | INS06-1 | Medicare Status Code | Refer to Appendix A: Crosswalk for Medicare Plan Code |
| 2000 | INS | INS08 | Employment Status Code | "AC" (Active), For Enrolled Members |
| 2000 | INS | INS12 | Date Time Period | <recipient date of death> when available and applicable |

| Loop ID | Segment ID | Data Element ID | Loop/Segment/Element Name | Companion Guide Rules |
|--------------|------------|-----------------|---|---|
| 2000 | REF | | Segment – Subscriber Identifier | |
| 2000 | REF | REF01 | Reference Identification Qualifier | “0F” (Subscriber Number) |
| 2000 | REF | REF02 | Reference Identification | <Recipient ID> Medicaid Beneficiary ID Number 10 character number ID, right justify – zero filled (RJ0F). |
| 2000 | REF | | Segment – Member Policy Number | |
| 2000 | REF | REF01 | Reference Identification Qualifier | “1L” (Group or Policy Number) |
| 2000 | REF | REF02 | Reference Identification | <Plan's Provider ID> 12 Digits, Leading Zero-Filled |
| 2000 | REF | | Segment – Member Supplemental Identifier | |
| 2000 | REF | REF01 | Reference Identification Qualifier | “3H” <Case Number> |
| 2000 | REF | REF02 | Reference Identification | <Case Number> 9 character Alphanumeric |
| 2000 | DTP | | Segment – Member Level Dates | |
| 2000 | DTP | DTP01 | Date/Time Qualifier | “356” (Eligibility Begin) |
| 2000 | DTP | DTP03 | Date Time Period | <Enrollment Begin Date> |
| 2000 | DTP | DTP01 | Date/Time Qualifier | “474” (Medicaid End) for file #5014 Only |
| 2000 | DTP | DTP03 | Date Time Period | <Last Day of Current Month> |
| 2100A | | | Loop – Member Name | |
| 2100A | NM1 | | Segment – Member Name | |
| 2100A | NM1 | NM101 | Entity Identifier Code | “1L” (Insured or Subscriber) |
| 2100A | NM1 | NM103 | Name Last or Organization Name | <Member Last Name> If beneficiary's first name is null, MDCH will transmit <Unknown>. |
| 2100A | NM1 | NM104 | Name First | <Member First Name> when available |

| Loop ID | Segment ID | Data Element ID | Loop/Segment/Element Name | Companion Guide Rules |
|--------------|------------|-----------------|---|--|
| 2100A | NM1 | NM105 | Name Middle | <Member Middle Name> when available |
| 2100A | NM1 | NM107 | Name Suffix | <Member Name Suffix> when available |
| 2100A | NM1 | NM108 | Identification Code Qualifier | "34" (Social Security Number) when available |
| 2100A | NM1 | NM109 | Identification Code | <Member SSN> when available |
| 2100A | PER | | Segment – Member Communications Numbers | |
| 2100A | PER | PER03 | Communication Number Qualifier | "TE" (Telephone) |
| 2100A | PER | PER04 | Communication Number | <Telephone Number>, when available on interface from DHS |
| 2100A | PER | PER05 | Communication Number Qualifier | "EM" (Electronic Mail) |
| 2100A | PER | PER06 | Communication Number | <Member E-Mail Address> when available on interface from DHS |
| 2100A | N3 | | Segment – Member Residence Street Address | |
| 2100A | N3 | N301 | Address Information | <Subscriber Address> If Subscriber Address is missing, and city, state, zip are present, MDCH will transmit <Unknown> for subscriber address. |
| 2100A | N3 | N302 | Address Information | <Subscriber Address> |
| 2100A | N4 | | Segment – Member Residence City, State, Zip Code | |
| 2100A | N4 | N405 | Location Qualifier | "CY" (County/Parish) |
| 2100A | N4 | N406 | Location Identifier | <county code> 2 Character Numeric County Code Refer to Appendix C: County Codes |
| 2100A | DMG | | Segment – Member Demographics | |

| Loop ID | Segment ID | Data Element ID | Loop/Segment/Element Name | Companion Guide Rules |
|--------------|------------|-----------------|--|--|
| 2100A | DMG | DMG02 | Date Time Period | <Date of Birth> |
| 2100A | DMG | DMG03 | Gender Code | "M" (Male) "F" (Female) |
| 2100A | DMG | DMG05-1 | Composite Race or Ethnicity Information | Refer to Appendix B: Crosswalk for Race or Ethnicity Code |
| 2100A | LUI | | Segment – Member Language | |
| 2100A | LUI | LUI01 | Identification Code Qualifier | "LE" (ISO 639 Language Codes) |
| 2100A | LUI | LUI02 | Identification Code | MDCH will use the ISO 639-2/T version of the ISO 639 language codes. |
| 2100A | LUI | LUI04 | Use of Language Indicator | "7" (Language Speaking) |
| 2100G | | | Loop – Responsible Person | |
| 2100G | NM1 | | Segment – Responsible Person | |
| 2100G | NM1 | NM101 | Entity Identifier Code | "GD" (guardian) if Address Type = Guardian; otherwise "QD" (responsible party) |
| 2100G | NM1 | NM103 | Name Last or Organization Name | <Guardian>, or <Case> Name, First, last, middle. If first name is unknown will transmit <Unknown> |
| 2100G | NM1 | NM104 | Name First | <Guardian>, or <Case > Name, when available |
| 2100G | NM1 | NM105 | Name Middle | <Guardian>, or <Case > Name, when available |
| 2100G | NM1 | NM107 | Name Suffix | <Guardian>, or <Case> Suffix, when available |
| 2100G | PER | | Segment – Responsible Person Communications Numbers | |
| 2100G | PER | PER03 | Communication Number Qualifier | "TE" (Telephone) |
| 2100G | PER | PER04 | Communication Number | <Guardian or Responsible Party Telephone Number> when available on interface from Department of Human Services (DHS) |

| Loop ID | Segment ID | Data Element ID | Loop/Segment/Element Name | Companion Guide Rules |
|--------------|------------|-----------------|--|---|
| 2100G | PER | PER05 | Communication Number Qualifier | "EM" (Electronic Mail) |
| 2100G | PER | PER06 | Communication Number | <Guardian or Responsible Party E-Mail Address> when available on interface from DHS |
| 2100G | N3 | | Segment – Responsible Person Street Address | |
| 2100G | N3 | N301 | Address Information | <Guardian Address> |
| 2100G | N3 | N302 | Address Information | <Guardian Address> |
| 2300 | | | Loop – Health Coverage | |
| 2300 | HD | | Segment – Health Coverage | |
| 2300 | HD | HD01 | Maintenance Type Code | "030" (Audit or Compare) |
| 2300 | HD | HD03 | Insurance Line Code | "AK" (Mental Health) |
| 2300 | HD | HD04 | Plan Coverage Description | PHIP: 11-character string of subcomponents: <age(3)>,<Redetermination date in MMDDCCYY format (8)> HSW:18-character string of subcomponents: <Age(3)>,<HSW Capitation County(2)>,<Residential Status(2)>,<HSW MVA(2)>,<Action Code(1)>,<Redetermination Date MMDDCCYY (8)> |
| 2300 | HD | HD05 | Coverage Level Code | "IND" (Individual) |
| 2300 | DTP | | Segment – Health Coverage Dates | |
| 2300 | DTP | DTP01 | Date/Time Qualifier | "348" (Benefit Begin) "349" (Benefit End) |
| 2300 | DTP | DTP02 | Date Time Period Format Qualifier | "D8" (Date Expressed in Format CCYYMMDD) |
| 2300 | DTP | DTP03 | Date Time Period | "348": 1 st day of the month being processed. "349": end date of the retroactive month (only). |

| Loop ID | Segment ID | Data Element ID | Loop/Segment/Element Name | Companion Guide Rules |
|-------------|------------|-----------------|--|---|
| 2300 | REF | | Segment – Health Coverage Policy Number | |
| 2300 | REF | REF01 | Reference Identification Qualifier | "17" (Client Reporting Category) |
| 2300 | REF | REF02 | Reference Identification | 5-character string of subcomponents - <Prog Code>(1), <LOC>(2), <Scope>(1), <Coverage>(1); Scope = 2 and Coverage = 0, B, C, H, or J indicates spend down. If beneficiary does not have a value in LOC, send two spaces in Loop 2300 REF02 in place of the LOC value. |
| 2320 | | | Loop – Coordination of Benefits | First occurrence of 2320 loop used to transmit Medicaid Health Plan information, if applicable |
| 2320 | COB | | Segment – Coordination of Benefits | |
| 2320 | COB | COB01 | Payer Responsibility Sequence Number Code | "U" (Unknown) |
| 2320 | COB | COB02 | Reference Identification | For LOC 07 no <Group Number> transmitted |
| 2320 | COB | COB03 | Coordination of Benefits Code | "1" (Coordination of Benefits) |
| 2320 | | | Loop – Coordination of Benefits | Second through Fifth occurrence of 2320 loop used to transmit other OI in ascending payer type code order |
| 2320 | COB | | Segment – Coordination of Benefits | |
| 2320 | COB | COB01 | Payer Responsibility Sequence Number Code | "U" (unknown) |
| 2320 | COB | COB02 | Reference Identification | <Group Number> |

| Loop ID | Segment ID | Data Element ID | Loop/Segment/Element Name | Companion Guide Rules |
|-------------|------------|-----------------|--|--|
| 2320 | COB | COB03 | Coordination of Benefits Code | "1" (coordination of benefits) |
| 2320 | REF | | Segment – Additional Coordination of Benefits Identifiers | Segment repeats three times. |
| 2320 | REF | REF01 | Reference Identification Qualifier | "ZZ" (Mutually Defined) |
| 2320 | REF | REF02 | Reference Identification | <Policy Number> |
| 2320 | REF | REF01 | Reference Identification Qualifier | "6P" (Group Number) |
| 2320 | REF | REF02 | Reference Identification | <Payer ID (Carrier)> |
| 2320 | REF | REF01 | Reference Identification Qualifier | "60" (Account Suffix Code) |
| 2320 | REF | REF02 | Reference Identification | <Coverage Type (Health Scope Code)> |
| 2320 | DTP | | Segment – Coordination of Benefits Eligibility Dates | Include any terminated insurance having an end date in the last 12 months |
| 2320 | DTP | DTP01 | Date/Time Qualifier | "344" (Coordination of Benefits Begin) |
| 2320 | DTP | DTP03 | Date Time Period | <Begin Date of MA-MC Benefit Plan> |
| 2320 | DTP | DTP01 | Date/Time Qualifier | "345" (Coordination of Benefits End) |
| 2320 | DTP | DTP03 | Date Time Period | <End Date of MA-MC Benefit Plan> |
| 2330 | | | Loop – Coordination of Benefits Related Entity | |
| 2330 | NM1 | | Segment – Coordination of Benefits Related Entity | |
| 2330 | NM1 | NM101 | Entity Identifier Code | "IN" (Insurer) |
| 2330 | NM1 | NM103 | Name Last or Organization Name | <Payer (Carrier) Name> |
| 2330 | NM1 | NM108 | Identification Code Qualifier | "FI" (Federal Tax ID Number) |
| 2330 | NM1 | NM109 | Identification Code | <Federal Tax ID Number of Payer> when available |

| Loop ID | Segment ID | Data Element ID | Loop/Segment/Element Name | Companion Guide Rules |
|-------------|------------|-----------------|---|--|
| 2330 | N3 | | Segment – Coordination of Benefits Related Entity Address | |
| 2330 | N3 | N301 | Address Information | <Payer Address Line 1> |
| 2330 | N3 | N302 | Address Information | <Payer Address Line 2> |
| 2330 | N4 | | Segment – Coordination of Benefits Other Insurance Company City, State, Zip Code | |
| 2330 | N4 | N401 | City Name | <Payer (Carrier) City Name> |
| 2330 | N4 | N402 | State or Province Code | <Payer (Carrier) State> |
| 2330 | N4 | N403 | Postal Code | <Payer (Carrier) Postal Code> |
| 2330 | PER | | Segment – Administrative Communications Contact | |
| 2330 | PER | PER04 | Communication Number | <Payer (Carrier) Telephone Number>, when available |
| | | | Loop – Transaction Set Trailer | |
| | SE | | Segment – Transaction Set Trailer | |
| | SE | SE01 | Number of Included Segments | < Total Number of Segments included in a Transaction Set> including ST and SE segments |
| | SE | SE02 | Transaction Set Control Number | <Transaction Set Control Number> MDCH will transmit identical transaction set control numbers in ST02 and SE02. |

Supplementary Information

Appendix A: Crosswalk for Medicare Plan Code (2000 INS06-1)

| State of Michigan Family Independence Agency Reference Codes Manual 1-1-2000 | | HIPAA 834 Transaction Maintenance Reason Code (2000 INS06-1) | |
|---|--|---|--------------------------------------|
| Proprietary Code | Description – Medicare Other Insurance (OI) Code | HIPAA Code | Description of HIPAA 2000 INS06 Code |
| 90 | Recipient qualifies for or is enrolled in Medicare Part B | B | Medicare Part B |
| 91 | Recipient qualifies for or is enrolled in Medicare Parts A and B. | C | Medicare Part A and B |
| 92 | Recipient qualifies for or is enrolled in Medicare Part B only and has Blue Cross/Blue Shield. | B | Medicare Part B |
| 93 | Recipient qualifies for or is enrolled in Medicare Part B only and has other medical insurance. | B | Medicare Part B |
| 94 | Recipient qualifies for or is enrolled in Medicare Parts A and B and has Blue Cross/Blue Shield | C | Medicare Part A and B |
| 95 | Recipient qualifies for or is enrolled in Medicare Parts A and B and has other medical insurance | C | Medicare Part A and B |
| 96 | Medicare HMO (to be identified and coded by Revenue and Reimbursement Division Staff Only. | C | Medicare Part A and B |

Appendix B: Crosswalk for Race or Ethnicity Code (2100A DMG05-1)

Note: MDCH is in the process of revising race and ethnicity codes. This table is expected to be updated prior to January 1, 2012.

| MDCH Data Warehouse and CIS Program Reference Manual | | HIPAA 834 Transaction Race or Ethnicity Code (2100A DMG05-1) | |
|--|---|---|---------------------------------------|
| Proprietary Code | Description | HIPAA Code | Description of HIPAA 2100 DMG05 Codes |
| 1 | Caucasian | O | White (Non-Hispanic) |
| 2 | Black | N | Black (Non-Hispanic) |
| 3 | American Indian | I | American Indian or Alaskan Native |
| 4 | Other (Includes Asians and Pacific Islanders) | E | Other Race or Ethnicity |
| 5 | Unknown | 7 | Not Provided |
| 6 | Hispanic | H | Hispanic |
| A | Migrant Caucasian | O | White (Non-Hispanic) |
| B | Migrant Black | N | Black (Non-Hispanic) |
| C | Migrant American Indian | I | American Indian or Alaskan Native |
| D | Migrant Other (Includes Asians and Pacific Islanders) | E | Other Race or Ethnicity |
| E | Migrant Unknown | Y | Not Provided |
| F | Migrant Hispanic | H | Hispanic |

Appendix C: County Codes (2100A N4 N406 Location Identifier)

| County Code | County Name | County Code | County Name | County Code | County Name | County Code | County Name |
|-------------|-------------|-------------|----------------|-------------|-------------|-------------|--|
| 1 | Alcona | 24 | Emmet | 35 | Iosco | 70 | Ottawa |
| 2 | Alger | 25 | Genesee | 48 | Luce | 71 | Presque Isle |
| 3 | Allegan | 26 | Gladwin | 49 | Mackinac | 72 | Roscommon |
| 4 | Alpena | 27 | Gogebic | 50 | Macomb | 73 | Saginaw |
| 5 | Antrim | 28 | Grand Traverse | 51 | Manistee | 76 | Sanilac |
| 6 | Arenac | 29 | Gratiot | 52 | Marquette | 77 | Schoolcraft |
| 7 | Baraga | 30 | Hillsdale | 53 | Mason | 78 | Shiawassee |
| 8 | Barry | 31 | Houghton | 54 | Mecosta | 74 | St. Clair |
| 9 | Bay | 32 | Huron | 55 | Menominee | 75 | St. Joseph |
| 10 | Benzie | 36 | Iron | 56 | Midland | 79 | Tuscola |
| 11 | Berrien | 37 | Isabella | 57 | Missaukee | 80 | Van Buren |
| 12 | Branch | 38 | Jackson | 58 | Monroe | 81 | Washtenaw |
| 13 | Calhoun | 39 | Kalamazoo | 59 | Montcalm | 82 | Wayne |
| 14 | Cass | 40 | Kalkaska | 60 | Montmorency | 83 | Wexford |
| 15 | Charlevoix | 41 | Kent | 61 | Muskegon | 84 | Indicates central DHS servicing county |
| 16 | Cheboygan | 42 | Keweenaw | 62 | Newaygo | 0 | County not provided or resides out of State. |
| 17 | Chippewa | 43 | Lake | 63 | Oakland | | |
| 18 | Clare | 44 | Lapeer | 64 | Oceana | | |
| 19 | Clinton | 45 | Leelanau | 65 | Ogemaw | | |
| 20 | Crawford | 46 | Lenawee | 66 | Ontonagon | | |
| 21 | Delta | 47 | Livingston | 67 | Osceola | | |
| 22 | Dickinson | 33 | Ingham | 68 | Oscoda | | |
| 23 | Eaton | 34 | Ionia | 69 | Otsego | | |

Revision Log

| Version Date | Effective Date | Revision Description |
|------------------------------|-----------------|--|
| February 17, 2011 (Draft) | January 1, 2012 | This document replaces <i>Data Clarifications for The 834 Benefit Enrollment And Maintenance, Version 4010 (Prepaid Health Plans (PIHP) Habilitation Support Waiver (HSW)) DRAFT</i> , dated June 22, 2009 |